

## BP-2 | BP-10

Filling unit for preformed suppositories / ovules.

SINCE THE 60'S DOTT.BONAPACE & C. SRL SELLS THOUSANDS OF THESE UNITS ALL AROUND THE WORLD AND BP-2 / BP-10 ARE THE RESULT OF OVER 50 YEARS OF EXPERIENCE. THEY'RE DESIGNED FOR LABS, SMALL BATCH PRODUCTIONS AND PHARMACIES. THESE MACHINES ARE REALLY COMPACT AND THEY CAN BE POSITIONED ANYWHERE.



THE FILLING PROCESS IS SIMPLE AND STARTS WHEN THE CONTAINERS FROM THE LOADING DISC ARE AUTOMATICALLY UNWOUND AND FED UNDER THE DOSING NOZZLE, FILLED WITH MELTED SUPPOSITORY MASS WHICH IS KEPT AT A CONSTANT TEMPERATURE AND MIXED IN THE JACKETED HOPPER. THE FILLED CONTAINERS ARE AUTOMATICALLY REWOUND ON THE SUPPORTING DISC PLACED AT THE DISCHARGE OF THE FILLING MACHINE. IT IS COMPLETELY MANUFACTURED IN ITALY ACCORDING TO CE AND GMP RULES.

OPERATIVITY:

**AUTO**

FILLING RANGE:

UP TO  
**3.5**  
CC

USABILITY:

**EASY**  
TO USE

## MODELS

### BP-2

The smallest filling unit. **Suitable to process up to 3600 shells/h.** Equipped with an adjustable nozzle with a dosing range up to **3.5cc** (increments of 0.10cc). BP-2 is equipped by a 10l jacketed hopper with water circulation. Hopper temperature range from 30°C up to 85°C – tolerance  $\pm 0.5^\circ\text{C}$ . All parts in contact with the product are made in stainless steel 316L.



### BP-10

It's the larger version of the BP-2 and can produce up to **6000 shells/h.** It is equipped with a touch screen and has a 25l jacketed hopper with water circulation. The dosing range is the same as the BP-2 unit. Also, the hopper temperature range. All parts in contact with the product are made in stainless steel 316L.



## RELATED MACHINES

+ BP-3 SEALING/ CODING/ CUTTING UNIT



+ CU-2 COOLING UNIT



+ BP-11 SEALING/ CODING/ CUTTING UNIT



+ CU-4 COOLING UNIT



+ HIGH SPEED LINES ALSO AVAILABLE (UPON REQUEST)

+ THERMOFORMING MACHINES ALSO AVAILABLE (UPON REQUEST)

## TECHNICAL DATA

### BP-2

• SIZE	150 x 65 x 105 H. cm
• NET WEIGHT	45.00 Kg
• CONTAINERS FILLED	Suppositories - Vaginal ovules
• ELECTRIC VOLTAGE	230 V - 50/60 Hz - single-phase
• ELECTRIC ABSORPTION	800 W

### BP-10

• SIZE	150 x 65 x 105 H. cm
• NET WEIGHT	60.00 Kg
• CONTAINERS FILLED	Suppositories - Vaginal ovules
• ELECTRIC VOLTAGE	230 V - 50/60 Hz - single-phase
• ELECTRIC ABSORPTION	2000 W

**DOTT** **BONAPACE**  
PHARMACEUTICAL & LAB EQUIPMENT SINCE 1946

DOTT. BONAPACE & C. srl  
Via Isonzo, 12  
20812 Limbiate - MB - ITALY  
[www.dottbonapace.com](http://www.dottbonapace.com)

Phone +39 02 331221  
Fax +39 02 3490005 / +39 02 3312222  
P.IVA VAT N° IT 00720310150  
[dottbonapace@dottbonapace.com](mailto:dottbonapace@dottbonapace.com)

DOTTBONAPACE.COM

Data are not binding; DOTT.BONAPACE & C. reserve the right to modify the contents for technical or commercial reasons at anytime.